

1132 #

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re : Application of Brown et al.
For : **TIRE CONSTRUCTION METHOD FOR IMPROVING TIRE
UNIFORMITY**
Serial No. : 09/545,929
Filed : April 10, 2000
Group Art Unit : 1732
Examiner : Mathieu D. Vargot
Our Docket No. : DN2000-067

RECEIVED

DEC 16 2003

TC 1700

December 4, 2003

COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

TRANSMITTAL LETTER

Sir:

Enclosed is an Amendment and two Terminal Disclaimers in response to the Office Action dated September 15, 2003 having a period for response set to expire on December 15, 2003.

The Commissioner is hereby authorized to charge any additional filing fees which may be required or credit any overpayment to Deposit Account No. 07-1725.

Respectfully submitted,


Howard M. Cohn
Reg. No. 25,808

Howard M. Cohn
c/o Bruce Hendricks Dept. 823
The Goodyear Tire & Rubber Company
1144 East Market Street
Akron, Ohio 44309-3531
Voice (216) 752-0955
Fax (216) 752-0957

CERTIFICATE OF MAILING


I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class mail in an envelope addressed to: COMMISSIONER FOR PATENTS P.O. Box 1450, Alexandria, Virginia 22313-1450, on December 4, 2003.

Name of Person Mailing : Howard M. Cohn

Signature of Person Mailing : 

Date of Signature : December 4, 2003

Gy293us 2amtr



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re : Application of Brown et al.
For : **TIRE CONSTRUCTION METHOD FOR IMPROVING TIRE
UNIFORMITY**
Serial No. : 09/545,929
Filed : April 10, 2000
Group Art Unit : 1732
Examiner : Mathieu D. Vargot
Our Docket No. : DN2000-067

December 4, 2003

RECEIVED

DEC 16 2003

TC 1700

COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

AMENDMENT

Sir:

This is an amendment in response to the Office Action dated September 15, 2003 having a period for response set to expire on December 15, 2003.

Please amend the referenced Application as follows: